☑ 006/039

50596/CAB/A400

VIOLA CORNUTA PLANT NAMED 'SUNVIOHO'

CHRISTIE PARKER HALE

BOTANICAL/COMMERCIAL CLASSIFICATION

Viola cornuta/Viola Plant

VARIETAL DENOMINATION

cv. 'Sunvioho'

5

10

15

20

25

BACKGROUND OF THE VARIETY

The genus Viola is included in the family Violaceae and has about 500 species of annuals, biennials, evergreen, and semi - evergreen and deciduous perennials found in varied habitats in temperate regions worldwide.

Each flower has 5 petals: a spurred lower petal, 2 lateral petals and 2 upward-facing upper petals.

While many cultivars within the genus are informally referred to as garden pansies, violas are all derived from the complex hybridization of V. tricolour, V. lutea, V. comuta, and other species.

Viola cornuta has played an important role in the development of garden violas and violettas as a result of cross breeding with the garden pansy V.wittrockiana.

Viola comuta is stem prostrate, with leaves narrow to broad ovate, base cordate to truncate, and margin shallow-crenate.

The female parent used in the crossing of 'SUNVIOHO' was '9V-39a' which is our breeding line and grown at Omori-cho, Yokalchi-shi, Shiga-ken, Japan

The pollen parent used in the crossing of 'SUNVIOHO' was 'Alpine Sun', whose seeds were bought from Daiichi Seed Co., Ltd. (Japan).

BREEDING PROCESS

Crossing between '9V-39a' as female parent and 'Alpine Sun' as male parent was conducted at Omori-cho, Yokaichi-shi, Shiga-ken, Japan in April 2000. In

5

10

15

20

Substitute Specification (Clean copy)

50596/CAB/A400

May, seeds were obtained from the crossing and were sown and grown at the same location. In August, three seedlings were selected in view of having highly spreading habit with white petals from 20 seedlings obtained, and propagated by cutting. Those three seedlings were tested by flower potting and bedding from October 2001, at Omori-cho, Yokaichi-shi, Shiga-ken, Japan. Finally one variety was selected in view of having a long blooming time. The botanical characteristics of that plant were then examined, using similar variety 'Violetto Nive' and 'Alpine Summer' for comparison. As a result, it was concluded that this *Viola cornuta* plant is distinguishable from any other variety, whose existence is known to us, and uniform and stable in its characteristics. The new variety of *Viola comuta* plant was named 'SUNVIOHO'.

Viola comuta plants, 'Alpine Sun' and '9V-39a', are presently maintained at Omori-cho, Yokaichi-shi, Shiga-ken, Japan.

This new and distinct variety of *Viola cornuta* plant, 'SUNVIOHO', was asexually reproduced by tissue culture at the aforementioned the Omori-cho, Yokaichi-shi, Shiga-ken, Japan and the homogeneity and stability thereof were confirmed.

DESCRIPTION

In the following description, the color-coding is in accordance with the Horticultural Colour Chart of The Royal Horticultural Society, London, England (R.H.S. Colour Chart).

The botanical characteristics of the female parent plant '9V-39a' used in the crossing of 'SUNVIOHO' are as follows.

Plant:

25 Stemmed or non-stemmed - Stemmed
Growth habit - Spreading
Height - Approximately 9 cm
Plant cover - Approximately 49 cm

2008/039

50596/CAB/A400

Stem:

Length - Approximately 36 cm

Branching - Much

Pubescence - Present

5 Leaf:

Overall form - Narrow elliptic

Apex form - Acute

Base form - Acute

Margin - Slightly lobed

Length - Approximately 1.9 cm 10

Width - Approximately 1.2 cm

Color of upper surface - Grayish olive green (Near R.H.S. 137A)

Color of under surface - Moderate yellow green (Near R.H.S. 137C)

Variegation - Absent

Leaf luster - Lustrous 15

Vein - Distinct

Petiole length - Approximately 1.4 cm

Stipule length - Approximately 1.8 cm

Flower:

Peduncle length - Approximately 7.5 cm 20

Peduncle thickness - Thin

Peduncle color - Strong yellow green (Near R.H.S. 144B)

Flower form - Vertically oblong

Flowering direction - Upward

Longitudinal diameter - Approximately 3.2 cm 25

Horizontal diameter - Approximately 3.0 cm

Ruffle of petal margin - Weakly ruffled

Petal curving - Very weak

Petal number - Single

50596/CAB/A400

Upper petal

Form - Round

Size - Approximately 1.6×1.6 cm

Petal color - Single-colored

5 Ground color - Pale yellow green (Near R.H.S. 157A)

Blotch - Absent

Side petal

Form - Ovate

Size - Approximately 1.3×1.5 cm

10 Petal color - Single-colored

Ground color - Pale yellow green (Near R.H.S. 157A)

Blotch - Absent

Lower petal

Form - Cordate

15 Size - Approximately 1.9×1.9 cm

Petal color - Single-colored

Ground color - Pale yellow green (Near R.H.S. 157A)

Blotch - Absent

Eye color - Vivid reddish yellow (Near R.H.S. 14A)

20 Eye size - Medium

Thickness of petal - Medium

Spur length - Longer than the sepal appendage

Sepal - Short

Number of flowers - Many

25 Seed:

Color - Deep brown

Physical property:

Flowering time - Late

Fragrance - Faint

50596/CAB/A400

Resistance -

Rain - Strong

Cold - Strong

Heat - Medium

5 Disease - Strong

Pest - Strong

The botanical characteristics of the male parent plant 'Alpine Sun' used in the crossing of 'SUNVIOHO' are as follows.

Plant:

10 Stemmed or non-stemmed - Stemmed

Growth habit - Spreading

Height - Approximately 8 cm

Plant cover - Approximately 35 cm

Stem:

15 Length - Approximately 25 cm

Branching - Much

Pubescence - Present

Leaf:

Overall form - Narrow elliptic

20 Apex form - Obtuse

Base form - Acute

Margin - Serrated or slightly lobed

Length - Approximately 2.1 cm

Width - Approximately 1.0 cm

Color of upper surface - Grayish olive green (Near R.H.S. 137A)

Color of under surface - Moderate yellow green (Near R.H.S. 137C)

Variegation - Absent

Leaf luster - Matte

Ø1011/039

50596/CAB/A400

Vein - Apparent

Petiole length - Approximately 2.2 cm

Stipule length - Approximately 2.1 cm

Flower:

Peduncle length - Approximately 8.0 cm 5

Peduncle thickness - Thin

Peduncle color - Strong yellow green (Near R.H.S. 144B)

Flower form - Vertically oblong

Flowering direction - Upward

Longitudinal diameter - Approximately 3.3 cm 10

Horizontal diameter - Approximately 2.5 cm

Ruffle of petal margin - Flat

Petal curving - Weak

Petal number - Single

Upper petal 15

Form - Round

Size - Approximately 1.1×1.0 cm

Petal color - Single-colored

Ground color - Vivid yellow (Near R.H.S. 9B)

Blotch - Absent 20

Side petal

Form - Ovate

Size - Approximately 1.2×1.0 cm

Petal color - Single-colored

Ground color - Vivid yellow (Near R.H.S. 9B) 25

Blotch - Absent

Lower petal

Form - Cordate

Size - Approximately 1.4×1.3 cm

21012/039

50596/CAB/A400

Petal color - Single-colored

Ground color - Vivid yellow (Near R.H.S. 9A)

Blotch - Absent

Eye color - Vivid yellow (Near R.H.S. 13A)

5 Eye size - Small

Thickness of petal - Thin

Spur length - Longer than the sepal appendage

Sepal - Short

Number of flowers - Many

10 Seed:

Color - Deep brown

Physical property:

Flowering time - Late

Fragrance - Absent

15 Resistance

25

Rain - Medium

Cold - Strong

Heat - Medium

Disease - Strong

20 Pest - Strong

SUMMARY OF THE NEW VARIETY

The new variety of viola plant named 'SUNVIOHO', which is the first vegetative propagated variety, has a spreading plant habit with very long epigeal stem. The plant height is low and the branching is abundant. The flowers of the new variety are oblong and very small, and the color of flower is pale yellow green with vivid yellow eye. The new variety has a high resistance to cold, pests and diseases.

Ø1013/039

50596/CAB/A400

BRIEF DESCRIPTION OF THE DRAWING

FIG.1 is a photograph giving a partial view of the new variety of Viola cornuta plant 'SUNVIOHO' planted in pots.

FIG.2 is a photograph of flowers of the new variety of Viola comuta plant 'SUNVIOHO'.

DESCRIPTION OF THE VARIETY

The botanical characteristics of this new and distinct variety of Viola cornuta plant named 'SUNVIOHO' are as follows.

Plant:

5

Stemmed or non-stemmed - Stemmed 10

Growth habit - Spreading

Height - Approximately 10 cm

Plant cover - Approximately 90 cm

Stem:

Length - Approximately 50 cm 15

Branching - Very abundant branching

Pubescence - Present

Leaf:

Overall form - Narrow elliptic

Apex form - Obtuse 20

Base form - Acute

Margin - Slightly lobed

Length - Approximately 4.0 cm

Width - Approximately 2.0 cm

Color of upper surface - Grayish olive green (Near R.H.S. 137A) 25

Color of under surface - Moderate yellow green (Near R.H.S. 137C)

Variegation - Absent

Leaf luster - Matte

50596/CAB/A400

Vein - Apparent

Petiole length - Approximately 4.0 cm

Stipule length - Approximately 1.5 cm

Flower:

Peduncle length - Approximately 12 cm 5

Peduncle thickness - Thin

Peduncle color - Strong yellow green (Near R.H.S. 144A)

Flower form - Vertically oblong

Flowering direction - Upward

Longitudinal diameter - Approximately 3.5 cm 10

Horizontal diameter - Approximately 2.8 cm

Ruffle of petal margin - Weakly ruffled

Petal curving - Weak

Number of petals per flower - Five (two upper petals, two side petals and one

lower petal) 15

Time of flowering - Early November to June in Japan, except for Hokkaido

Lastingness of the individual bloom - Approximately 5-7 days

Upper petal

Form - Round

Size - Approximately 1.7×1.7 cm 20

Petal color - Single-colored

Ground color - Pale yellow green (Near R.H.S. 157A)

Blotch - Absent

Side petal

Form - Ovate 25

Size - Approximately 1.5×1.3 cm

Petal color - Single-colored

Ground color - Pale yellow green (Near R.H.S. 157A)

Blotch - Absent

Ø 015/039

50596/CAB/A400

Lower petal

Form - Cordate

Size - Approximately 1.5×1.8 cm

Petal color - Single-colored

Ground color - Pale yellow green (Near R.H.S. 157A) 5

Blotch - Absent

Eye color - Vivid yellow (Near R.H.S. 13A)

Eye size - Small

Thickness of petal - Thin

Spur length - Longer than the sepal appendage 10

Sepal - Short

Number of flowers - Many

Seed:

Color - Deep brown

15 Reproductive Organs:

Stamen - Five stamens joined around the ovary. Two lower stamens spurred

Stamen length - Approximately 2.0 mm

Anther color - Near R.H.S. 9D (Yellow Group). Tip: near R.H.S. 166B

(Greyed-orange group)

Pollen color - Near R.H.S. 9D (Yellow group) 20

Pistil length - Approximately 4.5 mm.

Stigma shape - Ellipsoidal

Stigma length - Approximately 1.0 mm

Stigma color - Near R.H.S. 144B (Yellow-green group)

Style length - Approximately 1.0 mm 25

Style color - Near R.H.S. 144D (Yellow-green group)

Ovary color - Near R.H.S. 144C (Yellow-green group)

Physical property:

Flowering time - Early

Ø 016/039

50596/CAB/A400

Fragrance - Faint or weak

Resistance

5

15

20

25

Rain - Strong

This variety as survived temperatures of at least -7°C. The plant grows well at temperatures up to 25°C

CHRISTIE PARKER HALE

Disease - Strong

Pest - Strong

This new variety of Viola cornuta plant 'SUNVIOHO' is most suitable for flower bedding and potting, hanging basket and ground cover.

10 COMPARISON WITH SIMILAR VARIETY

The new variety of Viola comuta plant 'SUNVIOHO' is different from a similar variety, 'Vioretto Nive' in following points,

- 1. The plant width of 'SUNVIOHO' is wider than that of 'Violetto Nive'.
- 2. 'SUNVIOHO' has narrow elliptic leaf while 'Violetto Nive' has lanceolate one.
- 3. The leaf color of upper surface of 'SUNVIOHO' is near R.H.S.137A while that of 'Vioetto Nive' is near R.H.S.137B.
- 4. The longitudinal diameter of 'SUNVIOHO' is smaller than that of 'Violetto Nive'.
- 5. The side petal form of 'SUNVIOHO' is ovate while that of 'Violetto Nive' is round.
 - The flowering time of 'SUNVIOHO' is early while that of 'Violetto Nive' 6. is intermediate.

The new variety of Viola comuta plant 'SUNVIOHO' is different from a similar variety, 'Alpine Summer' in following points,

- 1. The plant width of 'SUNVIOHO' is wider than that of 'Alpine Summer'.
- 2. 'SUNVIOHO' has narrow elliptic leaf while 'Alpine Summer' has lanceolate one.

5

15

Substitute Specification (Clean copy)

Ø 017/039

50596/CAB/A400

- The flowering direction of 'SUNVIOHO' is upward while that of 'Alpine 3. Summer is horizontal.
- The ruffle of petal margin of 'SUNVIOHO' is weakly ruffled while that of 'Alpine Summer' is flat.
- 'SUNVIOHO' has single-colored flower while 'Alpine Summer' has 5. multi-colored one.
- The color of the upper petal of 'SUNVIOHO' is near R.H.S. 157A while 6. that of 'Alpine Summer' is near R.H.S. 86B.
- The color of the side petal of 'SUNVIOHO' is near R.H.S. 157A while that of 'Alpine Summer' is near R.H.S. 9B with near R.H.S 85B margin and near 10 R.H.S. 79A vein.
 - The color of lower petal of 'SUNVIOHO' is R.H.S. near 157A while that 8. of 'Alpine Summer' is R.H.S. near 9B with near R.H.S. 79A vein.
 - The flowering time of 'SUNVIOHO' is early while that of 'Alpine 9. Summer' is intermediate.